

Listing of Claims with Proposed Amendments:

1. (currently amended) A display device ~~for supporting a plurality of picture frame pieces~~ comprising:
 - a frame member having an internal section; and
 - at least one rotating member mounted to the frame member and comprising a rack which rotates via a central axis and which supports ~~the~~ a plurality of picture frame pieces.
2. (previously presented) The device of Claim 1 wherein the picture frame pieces are supported by hook and loop fasteners.
3. (currently amended) A display device ~~for supporting picture frame molds~~ comprising:
 - a frame housing having a plurality of internal open sections;
 - a plurality of rotating panel members, each of which is situated within an internal section and each of which rotates relative to a central axis; and
 - fasteners for affixing ~~the~~ picture frame molds to the rotating panel member.
4. (original) The display device of Claim 3 wherein the plurality of rotating panel members comprises an “x-shaped” composite of four members.
5. (currently amended) A display device ~~for supporting a plurality of picture frame molds~~ comprising:
 - a frame housing having a plurality of internal open sections;
 - a plurality of rotating panel members having an “x-shape,” each of which is situated within an internal section and each of which rotates relative to a central axis;
 - fasteners for affixing ~~the~~ picture frame molds to the rotating panel member; and
 - at least one additional wall surface proximate to the rotating panel member having at least a portion of the picture frame molds removably affixed thereto.
6. (previously presented) The display device of claim 1 further comprising at least three

of the rotating members in tandem and equidistancely spaced apart from one another.

7. (previously presented) The display device of claim 1, the at least one rotating member comprising a column that is x-shaped in cross-section.

8. (currently amended) The display device of claim 1, wherein the picture frame pieces are removably attached to the frame member.

9. (previously presented) The display device of claim 1, wherein one of the rotating members is equidistantly spaced between two other of the rotating members.

10. (currently amended) The display device of claim 1, wherein a vertical panel divides two of the rotating members and the picture frame pieces are attached to the vertical panel.

11. (previously presented) The display device of claim 1, wherein the central axis of at least three of the rotating members lie within a single plane.

12. (previously presented) The display device of claim 1, the fasteners comprising hook and loop fasteners mounted to the picture frame mold members and the rotating panel member.

13. (previously presented) The display device of claim 3, wherein one of the rotating members is equidistantly spaced between two of the rotating members.

14. (currently amended) The display device of claim 3, wherein a vertical panel divides two of the rotating panel members and the picture frame molds are attached to the vertical panel.

15. (previously presented) The display device of claim 3, wherein the central axis of at least three of the rotating members lie within a single plane.

16. (previously presented) The display device of claim 3, the fasteners comprising hook and loop fasteners mounted to the picture frame molds and the rotating panel member.
17. (previously presented) The display device of claim 5, wherein one of the rotating panel members is equidistantly spaced between two of the rotating panel members.
18. (currently amended) The display device of claim 5, wherein a vertical panel divides two of the rotating panel members and picture frame molds are attached to the vertical panel.
19. (previously presented) The display device of claim 5, wherein the central axis of at least three of the rotating panel members lie within a single plane.
20. (previously presented) The display device of claim 5, the fasteners comprising hook and loop fasteners mounted to the picture frame molds and the rotating panel member.
21. (new) The display device of claim 3, wherein the frame and the rotating panel members form a substantially contiguous front wall.
22. (new) The display device of claim 5, wherein the frame and the rotating panel members form a substantially contiguous front wall.